

Clax XtraSoft

Fabric Softener

Description

CLAX XTRA SOFT is a concentrated fabric softening liquid specially formulated for use in commercial and on premise laundries. The product is suitable for application on most types of fabric and can be manually or auto-dosed.

Key properties

CLAX XTRA SOFT is a concentrated fabric conditioner based on biodegradable cationics, quaternary ammonium salts. In the wash solution, these positively adsorbed onto fabric the cationic has a lubricating effect. During the drying process, this prevents interlocking of individual fabric and build-up of static electricity (especially on synthetic fibres). In addition lubrication facilitates ironing/calendering. The product has also been formulated with perfume, which linger a pleasant smell on fabric for longer period of time.

CLAX XTRA SOFT can be used for most types of fabrics, but is particularly effective on bulked or textured fabrics, such as towels. It also imparts a smooth, silky feel on woven or flat knitted fabric.

Product Benefits

- Very good softening of many types of fabric (towels, sheets, wool, delicate articles etc.)
- Prevents build-up of static electricity on synthetic fabrics.
- Delivers a pleasant residual smell for very long time.
- Is based on biodegradable raw materials.
- Non yellowing.

Use instructions

Dosing level is dependent on wash classification.

The softener should be applied in the last rinse of a washer extractor or in the last section of a continuous batch washer.

Dosage recommendation : 8 - 15 ml/kg dry goods.

Please note that this product should not be used on articles made of micro polyester fibres such as cleanroom garments and water repellent theatre linen and microfibre cleaning cloths/wipes.

Product data

Appearance	: white milky liquid
pH (1% Solution)	: 3.0 - 4.5
Specific gravity @ 25°C	: 0.98 - 1.07

The above data is typical of normal production and should not be taken as a specification.

Packaging

2 x 5 litre

1 x 25 litre

Safe handling and storage information

store in original closed containers or (where applicable) in an approved bulk tank, away from extremes of temperatures.

Full guidance on the handling and of this product is provide in a separate Material Safety Data Sheet.

For More Information

Please contact your local JohnsonDiversey representative.

JohnsonDiversey India Pvt. Ltd.

A-8, Laxmi Towers, Bandra-Kurla Complex, Mumbai 400 051. INDIA Tel.: +91 22 5644 4222, Fax: +91 22 5644 4223

Only for professional users / specialists. The manufacturer guarantees the quality of this product. Application recommendations are based on tests and practical experience; the manufacturer declines all responsibility for damages from improper product use.

5SL1-1

